Ref #	Hits	Search Query	DBs .	Default Operator	Plurals	Time Stamp
L2	231986	mai and segment ans mmse and fft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:01
L3	6	mai and segment and mmse and fft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:05
L4	2	"7099378".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:06
\$1	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/06/27 08:40
S2	1	10/748544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:35
S3	6	("5933423" "6075808" "6426983").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 13:37
S4	1	((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector) with (segment or chip)) and (determin\$3 adj symbol) and (determin\$3 adj symbol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 15:06

S5	33	((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector) with (segment or chip))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR	ON	2007/02/22 15:06
			IBM_TDB			

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10/396118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L2	1	10/748544	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L3	33	((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector) with (segment or chip))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L4	6	("5933423" "6075808" "6426983").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L5	1	((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector) with (segment or chip)) and (determin\$3 adj symbol) and (determin\$3 adj symbol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/14 10:49
L6	2	"20050281214".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L7	0	(((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector) and (segment))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49

10		/// http://www.new.new.new.new.new.new.new.new.new.	T.,,	T	T	
L8	0	(((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector) with (segment))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2007/09/14 10:49
			DERWENT; IBM_TDB			
L9	7	(((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector) and (segment)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L10	2	"20030219064".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L11	16	("20010026578" "5646964" "5673288" "5790549" "5835541" "5854784" "5933423" "6009334" "6032052" "6088324" "6240099" "6301293" "6466566" "6570863" "6665334").PN. OR ("6963546").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/14 10:49
L12	0	("2005/0281214").URPN.	USPAT	OR	ON	2007/09/14 10:49
L13	0	((multiuser adj (user or acces) adj interference) or MAI) same ((received adj vector) with (segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L14	2173	375/229	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L15	2	"6963546".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/14 10:49

L16	55	(((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector)))	US-PGPUB; USPAT; USOCR;	OR	ON	2007/09/14 10:49
		,,,	FPRS;			
			EPO; JPO;	,		
			DERWENT; IBM_TDB			
L17	3	L16 and L14	US-PGPUB;	OR	ON	2007/09/14 10:49
	:	,	USPAT; USOCR; FPRS;			
			EPO; JPO; DERWENT; IBM_TDB			
L18	2	"20020018454".pn.	US-PGPUB;	OR	ON	2007/09/14 10:49
			USPAT; USOCR;			
			FPRS;			
			EPO; JPO; DERWENT; IBM_TDB			
L19	2	"20040223538".pn.	US-PGPUB;	OR	ON	2007/09/14 10:49
			USPAT; USOCR;			
			FPRS; EPO; JPO;			
			DERWENT; IBM_TDB			
L20	2	"20040247018".pn.	US-PGPUB;	OR	ON	2007/09/14 10:49
			USPAT; USOCR;			
			FPRS; EPO; JPO;			
			DERWENT; IBM_TDB			1
L21	2	"20030219064".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	ÖR	ON	2007/09/14 10:49
			DERWENT; IBM_TDB			
L22	2	"6757321".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2007/09/14 10:49
			DERWENT; IBM_TDB			

		•	_			
L23	2	"6757321".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L24	2	"5913188".pn. ,	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L25	1	((multiuser adj (user or acces) adj interference) or MAI) and ((received adj vector) with (segment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L26	3925	375/130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L27	3	L16 and L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L28	8066	370/335	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L29	2	"20060193374".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49

			1	1		
L30	1890	370/336	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/09/14 10:49
L31	2	L16 and L30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L32	0	("2005/0281214").URPN.	USPAT	OR	ON	2007/09/14 10:49
L33	105	(((multiuser adj (user or acces) adj interference) or MAI) and ((received with vector) and (segment or burst)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L34	19	L16 and L28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49
L35	2	"20070033244".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/14 10:49

Web Images Video News Maps Gmail more ▼

drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out

Google

mai segment mmse fft

Search
Preferences

Web

Results 1 - 10 of about 772 for mai segment mmse fft. (0.15 seconds)

Did you mean: map segment mmse fft

Multi user detection using equalization and successive ...

The overlap may be extended to reach a desired optimal PFA or FFT length. The MMSE solution for each extended **segment** is per Equation 4A. ... www.freepatentsonline.com/20040223538.html - 43k - Cached - Similar pages - Note this

IPDFJ UMTS FDD Frequency Domain Equalization Based on Slot Segmentation signal is split into multiple **segments** for the sake of combating. channel variance within one slot. The performance of the. proposed **MMSE**-FDE is studied ... ieeexplore.ieee.org/iel5/10360/32958/01543332.pdf? tp=&arnumber=1543332&isnumber=32958 - Similar pages - Note this

[PDF] OCRed document

Time Spectral Amplitude Estimator (MMSE-STSA) has been estimate the two components of the short-time Fourier transform. (STFT) separately, rather than ... ieeexplore.ieee.org/iel5/9317/29618/01344946.pdf?arnumber=1344946 - Similar pages - Note this
[More results from ieeexplore.ieee.org]

[PDF] bindex 375..388

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> discrete **Fourier transform**, see DFT. discrete spread spectrum signal, 136, 145 **MMSE** detector, 311, 313. blind, 315. mobile station, see MS ... media.wiley.com/product_data/excerpt/89/04700917/0470091789-2.pdf - <u>Similar pages - Note this</u>

[PDF] COPYRIGHTED MATERIAL

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> multicarrier DS-CDMA systems, **MMSE** detection of multicarrier CDMA, The output of the **FFT** block at the receiver produces data per channel. ... media.wiley.com/product_data/excerpt/7X/04700597/047005977X.pdf - <u>Similar pages</u> - <u>Note this</u>

[PDF] Combination of OFDM and CDMA for high data rate UWB

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> case, mono-user detection is simply realized at the output of the FFT by one complex multiplication per. subcarrier. ZF and **MMSE** detection techniques are ... arxiv.org/pdf/0705:0430 - <u>Similar pages</u> - <u>Note this</u>

Lehrstuhl für Netzwerk- und Systemtheorie | Publiktionen- [Translate this page]
Arithmetic errors in the sub-band FFT - part II: evaluation of variants, ... Time-Varying
MMSE Modulated Lapped Transform and its Applications to Transform ...
www-lns.tf.uni-kiel.de/pub/pub.html - Similar pages - Note this

[PDF] Rate Regions for Multipoint-to-Point-Transmission over Channels ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
To mitigate or to even remove the disturbing effects of **MAI**. and ISI joint signal

processing cording to the **MMSE** criterion in combination with power ... www.lnt.de/LIT/papers/wsa_2006.pdf - <u>Similar pages</u> - <u>Note this</u>

GNSS 2007: Session F2 Abstracts

The optimal linear receiver that maximizes the signal to interference plus noise ratio (SINR) in the MAI presence is the minimum mean squared error (MMSE) ... www.ion.org/meetings/gnss2007/abstracts.cfm?track=F&session=2 - 62k - Cached - Similar pages - Note this

Sub-symbol parallel interference cancellation - US Patent 7099378

To remedy such shortcomings, linear minimum mean squared error (MMSE) techniques, For the case of zero Doppler offset, FFT of the input buffer is ... www.patentstorm.us/patents/7099378-description.html - 92k - Cached - Similar pages - Note this

Did you mean to search for: map segment mmse fft

1 2 3 4 5 6 7 8 9 10 **Next**

Try Google Desktop: search your computer as easily as you search the web.

mai segment mmse fft

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Web Images Video News Maps Gmail more v

drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out

Google

mai segment mmse fft cdma

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 458 for mai segment mmse fft cdma. (0.59 seconds)

Did you mean: map segment mmse fft cdma

[PDF] Combination of OFDM and CDMA for high data rate UWB access interference (MAI) obtained with MC-CDMA signals, can be easily compensated by MMSE detection techniques are considered leading to coefficients ... linkinghub elsevier com/retrieve/pii/S1631070506001472 - Similar pages - Note this

[PDF] Combination of OFDM and CDMA for high data rate UWB

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> case, mono-user detection is simply realized at the output of the **FFT** by one complex multiplication per. subcarrier. ZF and **MMSE** detection techniques are ... arxiv.org/pdf/0705.0430 - <u>Similar pages</u> - <u>Note this</u>

Multi user detection using equalization and successive ...

The overlap may be extended to reach a desired optimal PFA or **FFT** length. The **MMSE** solution for each extended **segment** is per Equation 4A. ... www.freepatentsonline.com/20040223538.html - 43k - <u>Cached</u> - <u>Similar pages</u> - <u>Note this</u>

[PDF] Chip-delay locked matched filter for ds-cdma systems using long ... are tracked, the MAI in random-CDMA can be modeled as a wide-sense cyclostationary (WSCS) The method from [31] to increase the robustness of MMSE re- ... ieeexplore.ieee.org/iel5/26/20340/00939895.pdf?isnumber=&arnumber=939895 - Similar pages - Note this

rppf UMTS FDD Frequency Domain Equalization Based on Slot Segmentation signal is split into multiple segments for the sake of combating, channel variance within one slot. The performance of the, proposed MMSE-FDE is studied ... ieeexplore.ieee.org/iel5/10360/32958/01543332.pdf?

tp=&arnumber=1543332&isnumber=32958 - Similar pages - Note this

[More results from ieeexplore.ieee.org]

[PDF] bindex 375..388

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Spread Spectrum and **CDMA**: Principles and Applications Valery P. Ipatov`.... **MMSE**detector, 311, 313. blind, 315. mobile station, see MS ...
media wiley.com/product_data/excerpt/89/04700917/0470091789-2.pdf <u>Similar pages - Note this</u>

[РРБ] L. Sanguinetti, I. Cosovic, M. Morelli: Channel Estimation for MC ... File Format: PDF/Adobe Acrobat

tional MC-CDMA systems, MAI mitigation is accomplished at. Manuscript received April 1, 2005; ... zero-forcing (ZF) or minimum-mean-square-error (MMSE) cri- ... www.docomoeurolabs.de/../2006_WSL_Channel_ Estimation_MC_CDMA_Uplink_Transmissions_Combined_Equalization.pdf - Similar pages - Note this

[PDF] Design of Computationally E cient Multiuser Detectors for CDMA S ...

File Format: PDF/Adobe Acrobat - View as HTML

whose inverse is computed in the **MMSE** detector is also symmetric. the augmented vector using **FFT**-s. The original matrixvector product is obtained ... www.ece.rice.edu/~cavallar/theses/suman_ms.pdf - <u>Similar pages</u> - <u>Note this</u>

грог Image Coding for Transmission over Wireless CDMA Channels File Format: PDF/Adobe Acrobat - View as HTML

By making use of **segment+**reset for the RLS **MMSE** receiver, we can restore an image: perfectly after transmission in the fixed **CDMA** systems with impulsive **MAI** ... www.site.uottawa.ca/school/research/viva/theses/Huang.pdf - Similar pages - Note this

PIMRC'98: Technical Program

Time varying **MMSE** interference suppression on asynchronous DS/**CDMA** Achieving **MAI** Cancellation in an Asynchronous DS/**CDMA** System by Optimum Detection ... www.pimrc98.wpi.edu/ts_all.html - 72k - Cached - Similar pages - Note this

Did you mean to search for: map segment mmse fft cdma

1 2 3 4 5 6 7 8 9 10 **Next**

Download Google Pack: free essential software for your PC

mai segment mmse fft cdma

Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

News Maps Gmail driatorres@gmail.com | My Notebooks | Web History | My Account | Sign out Google Advanced Search Search mai segment mmse fft cdma assembling "grou Web Results 1 - 2 of 2 for mai segment mmse fft cdma assembling "group of signals". (0.58 seconds) Did you mean: map segment mmse fft cdma assembling "group of signals" Multi user detection using equalization and successive ... The overlap may be extended to reach a desired optimal PFA or FFT length. The MMSE solution for each extended segment is per Equation 4A. ... www.freepatentsonline.com/20040223538.html - 43k - Cached - Similar pages - Note this [PDF] EURASIP File Format: PDF/Adobe Acrobat Deadline for Direct voting: 6 September 2006 (General Assembly Meeting at interference (MAI) in code-division multiple access (CDMA) systems. ... www.eurasip-newsletter.org/newsletter-17-3.pdf - Similar pages - Note this Did you mean to search for: map segment mmse fft cdma assembling "group of signals" Try Google Desktop: search your computer as easily as you search the web. mai segment mmse fft cdma assemt Search

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Web Images Video News Maps Gmail drjatorres@gmail.com | My Notebooks | Web History | My Account | Sign out Google Advanced Search mai segment mmse fft cdma "group of signals" Search **Preferences** Web Results 1 - 2 of 2 for mai segment mmse fft cdma "group of signals". (0.53 seconds) Did you mean: **map** segment mmse fft cdma "group of signals" Multi user detection using equalization and successive ... The overlap may be extended to reach a desired optimal PFA or FFT length. The MMSE solution for each extended segment is per Equation 4A. ... www.freepatentsonline.com/20040223538.html - 43k - Cached - Similar pages - Note this [PDF] EURASIP File Format: PDF/Adobe Acrobat interference (MAI) in code-division multiple access (CDMA) systems. achieve the performance of the MMSE equalizer and clearly outperform the ... www.eurasip-newsletter.org/newsletter-17-3.pdf - Similar pages - Note this Did you mean to search for: *map* segment mmse fft cdma "group of signals" Try Google Desktop: search your computer as easily as you search the web.

mai segment mmse fft cdma "group

Searcn

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

SCIMS for scientific information only



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

Advanced Search Search Preferences

mai AND segment AND mmse AND fft AND cdma AND

Search

🗹 Journal sources 🖳 Preferred Web sources 🖳 Other Web sources 🖺 Exact phrase

Sorry, your query - mai AND segment AND mmse AND fft AND cdma AND "group of signals" has not produced any result

Did you mean: mai segment mass fft cdma "group of signals"

Before searching again, using the same or similar keywords, you may helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
- check the spelling of all words
- spell words in a different way, for example using American spelling
- write abbreviations and acronyms in full
- use alternative words that have the same meaning
- search using fewer or more general words

<u>Downloads</u> | <u>Library Partners</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> Advertising | Tell A Friend | Terms Of Service | Privacy Policy | Legal

Powered by FAST © Elsevier 2007

SCIFUS for scientific information only



About Us

Newsroom

Advisory Board

Submit Web Site Help

Contact Us

Basic Search

Advanced Search Preferences

		mai AND segment AND mmse AND fft AND cdma Search	
		☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☑ Exact phrase	
		Searched for:: :All of the words:mai AND segment AND mmse AND fft AND cdma	
		Found:: :16 total 0 journal results 5 preferred web results 11 other web results	
		Sort by:: :relevance date	
		Save checked results Email checked results Export checked results	Dic ma
	1.	Development and Analysis of Adaptive Interference Rejection Techniques for Direct Sequence Code Division Multiple Access Systems	cdı
		Mangalvedhe, Nitin R., Jul 1999Virginia Keywords: CDMA Systems, InterferenceAdaptation Algorithms, MMSE Analysis, Multi-Ratethe Powers of the MAI SignalsVariation of the MMSE with MultipathVariation of the MMSE Averaged over aof a Multi-Rate CDMA System. Each	Re us for <u>dec</u>
		blockspreading code segment Full text thesis available via NDLTD (Virginia Tech)	<u>de</u>
		view all 4 results from NDLTD	des
	_	similar results	fac iee
	2.	<u>Development and analysis of adaptive interference rejection techniques for direct</u> <u>sequence code division multiple access systems</u>	inf
		1970- Mangalvedhe, Nitin R., , Jan 2000Virginia Keywords: CDMA Systems, InterferenceAdaptation Algorithms, MMSE Analysis, Multi-Ratethe Powers of the MAI SignalsVariation of the MMSE with MultipathVariation of the MMSE Averaged over aof a Multi-Rate CDMA System. Each	ray tra Or
		blockspreading code segment	Al
		Full text thesis available via NDLTD (OCLC) view all 4 results from NDLTD	tan tera
		similar results	F
¥ 5.	3.	Selective Interference Cancellation and Frame Synchronization for Packet Radio howlader, mohammad mostofa kamal, Aug 20002.3.4 Protocols for DS-CDMA SystemsMinimum Mean-Square Error (MMSE) Receivers 29 338 4 CDMA Detection for Peer-toCancellation and Decoding for DS-CDMA 83 5.2.1 System3.3 Block diagram of a MMSE detector	
		Full text thesis available via NDLTD (Virginia Tech) view all 4 results from NDLTD similar results	
	4.	Design of Computationally Ecient Multiuser [PDF-33K] Jan 2003solving an asynchronous CDMA system the receiver ideallyproblem if we can	
		complete comment the data into independent, with the accuratespace CDMA system	

does not remain...consists of two major segments - estimation of the signal...1 Block diagram of a CDMA Environment actually... [http://www.ece.rice.edu/~cavallar/theses/suman_ms.pdf] similar results **5.** Selective interference cancellation and frame synchronization for packet radio Howlader, Mohammad Mostofa Kamal., Jan 2000 ...2.3.4 Protocols for DS-CDMA Systems...Minimum Mean-Square Error (MMSE) Receivers . . . 29 3...38 4 CDMA Detection for Peer-to...Cancellation and Decoding for DS-CDMA . . . 83 5.2.1 System...3.3 Block diagram of a MMSE detector... Full text thesis available via NDLTD (OCLC) view all 4 results from NDLTD similar results 6. Annual Report [137K] Aug 2000 He undertook his graduate work at the University of Maryland, College Park, Maryland, receiving the MS degree in 1982 and the Ph.D. degree in 1984. Since then he has been on the faculty of the department of Electrical and Computer Engineering at the University of California, San Diego. [http://cwc.ucsd.edu/pdfs/2000_Annual_Report.pdf] similar results 7. No Title [ASCII-50K] Jan 2000 ...Proc.~ICASSP99", } @InProceedings{Richards:icassp99, author = "Hywel B Richards and John S Bridle", title = "The HDM: A Segmental Hidden Dynamic Model of Coarticulation", year = 1999, booktitle = "Proc.~ICASSP99", } @InProceedings [http://svr-www.eng.cam.ac.uk/~ge204/bib/icassp99.bib] similar results 8. A Hierarchical, Automated Design Flow for Low-Power, [PDF-157K] Feb 2002 ...read-channels and a complete TDMA baseband receiver for use in low-power sensor networks. These systems are contrasted with a CDMA receiver designed with an industry-standard flow. An effort is made to quantify the complexity and design effort for each of... [http://bwrc.eecs.berkeley.edu/People/Grad_Students/wrd...] similar results 9. ZEUS PROGRESS REPORT [PDF-26K] Aug 2002 ZEUS PROGRESS REPORT MAY 2000 - JULY 2002 17th June 2002 ZEUS UK COLLABORATION 1 Introduction The upgrade to the HERA accelerator that will provide a five-fold increase in luminosity and lepton-beam polarisation for the colliding beam experiments was carried out in 2000 and 2001. [http://www.hep.ucl.ac.uk/zeus/reports/pprp02/report.pd...] similar results **10.** main.dvi [65κ] Apr 1998 ...90 4.3 Transmitter for Optical CDMA code division multiple access CDMA communication system comes in...access or co-channel interference MAI that re-sults from the many users in a CDMA system broadcasting simultaneously... [http://www.gel.ulaval.ca/~rusch/pub/thesis.pdf] similar results -**11.** No Title [33K] ...solving an asynchronous CDMA system the receiver ideally...problem if we can

	somehow segment the data into independentwith the asynchronous CDMA system does not remainconsists of two major segments - estimation of the signal1 Block diagram of a CDMA Environment actually [http://www.cmc.rice.edu/docs/docs/Das1997May2DesignofC] similar results
12.	NCC-2002 [PDF-711K] Jul 2002 Tochniques for A Multi-Cognier CDMA System Socked Tripothi-Socked Cognier CDMA System Socked Cognier CDMA System Syste
	Techniques for A Multi-Carrier CDMA System Sachee Tripathi, SaurabhGirish Kumar 270 2 Ground Segment for Broad Band Satellite CommunicationAdaptive Multiuser Detector for DS-CDMA Communications Aditya DuaProcessing Gain Multiuser DS-CDMA Systems Pradeep Sah & A.K. Chaturvedi [http://www.ee.iitb.ac.in/uma/~ncc2002/proc/NCC-2002/pd] similar results
13.	Unified multi-carrier framework for multiple-access technologies Shattil, Steve J., UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, Aug 2003 patno:US20030147655
	particularly applicable to CI/DS-CDMA include C. R. Nassarperformance broadband DS-CDMA via carrier interferometryWu and C. R. Nassar, "MMSE frequency combining for CI/DS-CDMA," IEEE Radio and Wirelessaccess interference (MAI). Similar frequency-division
	Full text available at patent office. For more in-depth searching go to LexisNexissimilar results
14.	Selective Interference Cancellation and [PDF-101K] Jul 2000
	2.3.4 Protocols for DS-CDMA SystemsMinimum Mean-Square Error (MMSE) Receivers 29 338 4 CDMA Detection for Peer-toCancellation and Decoding for DS-CDMA 83 5.2.1 System3.3 Block diagram of a MMSE detector [http://scholar.lib.vt.edu/theses/available/etd-0731200] similar results
15.	Modern Video Compression and [PS-449K] Nov 1999
	369 10 Thirdgeneration CDMA Systems 371 10.1 Introduction371 10.2 Basic CDMA System452 10.4 NonCoherent Mary Modulated CDMA
16.	<u>Luettelo kirjasllisesta toiminnasta Oulun yliopistossa 2001</u> [352κ] Sep 2002
	2002 RAILI TOIVIO TOIM. LUETTELO KIRJALLISESTA TOIMINNASTA OULUN YLIOPISTOSSA 2001 Catalogue of publications by the staff of the University of Oulu 2001 53 Oulu 2002 OULUN YLIOPISTON KIRJASTON JULKAISUJA PUBLICATIONS OF OULU UNIVERSITY LIBRARY 53 Raili Toivio (toim. [http://herkules.oulu.fi/isbn9514268148/isbn9514268148]
	similar results
	:::fast
	mai AND segment AND mmse AND fft AND cdma Search
	☑ Journal sources ☑ Preferred Web sources ☑ Other Web sources ☐ Exact phrase
	Downloads Library Partners Subscribe to News Updates User Feedback

http://www.scirus.com/srsapp/search?t=all&q=mai+segment+mmse+fft+cdma+&cn=all&co... 9/1

mai AND segment AND mmse AND fft AND cdma results on scirus.com, for scientific i... Page 4 of 4

Advertising | Tell A Friend | Terms Of Service | Privacy Policy | Legal Powered by FAST © Elsevier 2007



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart

Welcome United States Patent and Trademark Office

BROWSE

Check to search only within this results set

SEARCH

IEEE XPLORE GUIDE

Results for "((mai and segment and mmse and fft and cdma)<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options .

View Session History

New Search

Modify Search

Display Format:

((mai and segment and mmse and fft and cdma)<in>metadata)

Search

⊠e-mail

» Key

IEEE JNL IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

Help Contact Us Privacy &:

Copyright 2006 IEEE -

indexed by

বি inspec"



Home | Login | Logout | Access Information | Alerts | Purchase History |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((mai and segment and fft and cdma)<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

Modify Search

New Search

((mai and segment and fft and cdma)<in>metadata)

Search

» Key

IEEE JNL

IEEE Journal or

Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference

Proceeding

IEEE STD IEEE Standard

Display Format:

Check to search only within this results set

© Citation C Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

Contact Us Privacy &:

© Copyright 2006 IEEE -

Indexed by ig Inspec



Home | Login | Logout | Access Information | Alerts | Purchase History | Cart |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((mai and segment and cdma)<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

Modify Search

Display Format:

((mai and segment and cdma)<in>metadata)

Check to search only within this results set

Search

⊠ e-mail

» Key

IEEE JNL

IEEE Journal or Magazine

IET JNL

IET Journal or Magazine

IEEE CNF

IEEE Conference

Proceeding

IET CNF

IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

search.

indexed by

Help Contact Us Privacy &:

© Copyright 2006 IEEE -



Home | Login | Logout | Access Information | Alerts | Purchase History |

Welcome United States Patent and Trademark Office

□ Search Results

» Search Options

New Search

IEEE JNL

IET JNL

IEEE CNF

IET CNF

» Key

View Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((mai and segment) <in>metadata)</in>	•
Vour search matched 7 of 4644604 documents	

IEEE Journal or

IEEE Conference

IET Conference Proceeding

IET Journal or Magazine

Magazine

Proceeding

IEEE STD IEEE Standard

A maximum of 100 results are displayed

-4- d-4-\II	
etadata)" uments.	
, 25 to a pa	ge, sorted by Relevance in Descending order.
Modify	
((mai an	d segment) <in>metadata) Search</in>
Che	eck to search only within this results set
Display	Format: © Citation C Citation & Abstract
← view s	elected items Select All Deselect All
1.	Efficient frequency domain characterization of myocardial activation dynventricular fibrillation
	KenKnight, B.H.; Bayly, P.V.; Chattipakorn, N.; Windecker, S.; Usui, M.; Roger C.R.; Ideker, R.E.; Smith, W.M.;
٠	Engineering in Medicine and Biology Society, 1995. IEEE 17th Annual Confere
	Volume 1, 20-23 Sept. 1995 Page(s):349 - 350 vol.1 Digital Object Identifier 10.1109/IEMBS.1995.575144
	AbstractPlus Full Text: PDF(228 KB) IEEE CNF Rights and Permissions
2.	UMTS FDD frequency domain equalization based on slot segmentation Yushan Li; McLaughlin, S.; Cruickshank, D.G.M.; Vehicular Technology Conference, 2005. VTC 2005-Spring, 2005 IEEE 61st Volume 1, 30 May-1 June 2005 Page(s):457 - 461 Vol. 1 Digital Object Identifier 10.1109/VETECS.2005.1543332
	AbstractPlus Full Text: PDF(2832 KB) IEEE CNF Rights and Permissions
3.	Morphological Granulometric Features of Nucleus in Automatic Bone Mai Blood Cell Classification Theera-Umpon, N.; Dhompongsa, S.; Information Technology in Biomedicine, IEEE Transactions on Volume 11, Issue 3, May 2007 Page(s):353 - 359 Digital Object Identifier 10.1109/TITB.2007.892694
	AbstractPlus Full Text: PDF(219 KB) IEEE JNL Rights and Permissions
☐ 4 .	EFFICIENT USE OF CEREBRAL CORTICAL THICKNESS TO CORRECT BI SEGMENTATION Thanh-Mai Diep; Bourgeat, P.; Ourselin, S.; Biomedical Imaging: From Nano to Macro, 2007. ISBI 2007. 4th IEEE Internation 12-15 April 2007 Page(s):592 - 595 Digital Object Identifier 10.1109/ISBI.2007.356921
	AbstractPlus Full Text: PDF(159 KB) IEEE CNF Rights and Permissions

5. Edge-detection and segmentation methods for two-dimensional echocard

	Boonchieng, E.; Boonchieng, W.; Kanjanavanit, R.; <u>Computers in Cardiology, 2004</u> 19-22 Sept. 2004 Page(s):541 - 544 Digital Object Identifier 10.1109/CIC.2004.1442994
٠	AbstractPlus Full Text: PDF(254 KB) IEEE CNF Rights and Permissions
	6. 3D quantification of ultrasound images: Application to mouse embryo im Vray, D.; Discher, A.; Lefloc'h, J.; Mai, W.; Clarysse, P.; Pham, Q.C.; Montagna <u>Ultrasonics Symposium, 2002. Proceedings. 2002 IEEE</u> Volume 2, 8-11 Oct. 2002 Page(s):1597 - 1600 vol.2 Digital Object Identifier 10.1109/ULTSYM.2002.1192599
	AbstractPlus Full Text: PDF(461 KB) IEEE CNF Rights and Permissions
WALLEY TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE T	7. Vascular compliance using elasticity imaging Mai, J.J.; Tsou, J.K.; Pellot-Barakat, C.; Hornof, W.J.; Kargel, C.; Insana, M.F.; Ultrasonics Symposium, 2001 IEEE Volume 2, 7-10 Oct. 2001 Page(s):1577 - 1580 vol.2 Digital Object Identifier 10.1109/ULTSYM.2001.992022
	AbstractPlus Full Text: PDF(551 KB) IEEE CNF Rights and Permissions

indexed by inspec*

Help Contact Us Privacy &: © Copyright 2006 IEEE -

PALM	Intrane
------	---------

Application Number Submit

IDS Flag Clearance for Application 10748544

IDS Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
WIDS	2006-05-22	26	Y	2007-05-09 00:00:00.0	CR #232884
WIDS	2004-10-12	21	Y	2007-05-09 00:00:00.0	CR #232884
WIDS	2004-05-17	19	Y	2007-05-09 00:00:00.0	CR #232884
Update	1			00:00:00.0	

PALM INTRANET

Day: Friday Date: 9/14/2007

Time: 07:49:12

Continuity Information for 10/748544

Parent Data

10748544

Claims Priority from Provisional Application 60451591

Child Data PCT/US04/05914 is a continuation of 10748544		
	ent Info Continuity/Reexam	Foreign Data
Search Another: Application # Search	or Patent#	Search
PCT / / Search	or PG PUBS #	
Attorney Docket #	Search	
Bar Code #	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

PALM INTRANET

Day: Friday Date: 9/14/2007

Time: 07:49:17

Foreign Information for 10/748544

No Foreign Data

Appln Info Contents Petition Info Att	y/Agent Info Continuity/Reexam Data
Search Another: Application #	or Patent# Search
PCT / / Sea	or PG PUBS #
Attorney Docket #	Search
Bar Code #	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

PALM INTRANET

Day : Friday Date: 9/14/2007

Time: 07:49:25

Inventor Information for 10/748544

Inventor Name	City	State/Country
ZEIRA, ARIELA	HUNTINGTON	NEW YORK
Appln Info Contents	Petition Info Atty/Agent Inf	o Continuity/Reexam Foreigr
Search Another: Ap	plication #	or Patent# Search
PCT /	/ Search	or PG PUBS #
Attorney	Docket #	Search
Bar Code	Search	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Day: Friday Date: 9/14/2007

Time: 07:54:08

• PALM INTRANET

Correspondence Address for 10/748544

Customer Number	Contact Information	Address
24374	Telephone: (215)568-6400	VOLPE AND KOENIG, P.C.
Delivery Mode: <u>PAPER</u>	Fax: No Fax #	DEPT. ICC
	E-Mail: No E-Mail Address	UNITED PLAZA, SUITE 1600
		30 SOUTH 17TH STREET
		PHILADELPHIA PA 19103
Appin Info Contents [Petition Info Atty/Agent Info	Continuity/Reexam Foreign
Search Another: A	pplication #	or Patent# Search
	earch	or Patent# Search or PG PUBS # Search
PCT/	earch	or PG PUBS #

To go back use Back button on your browser toolbar.

Back to $|\underline{PALM}|$ ASSIGNMENT | OASIS | Home page